

# Borchi® Gen HE

## TECHNICAL DATA

Additive to improve adhesion of metallic pigments and coatings on metal substrate

### FEATURES

- Improves adhesion of baking paints and primers on metal substrate
- Improves the fixation of metallic pigments in coatings
- Enhances elasticity and color stabilization
- No negative influence on weather resistance
- Silicone-free

### PHYSICAL CHARACTERISTICS

Solids content	58 - 62 % ISO 3251 (1g, 1h, 125 °C)
Viscosity	200 - 500 mPa·s DIN 53015 (20 °C)
Color	Gardner: Max. 3 ISO 4630
Acid number	15 - 25 mg KOH/g ISO 2114

### APPLICATIONS

- Solvent-based baking enamels
- Solvent-based one- or two-pack metallic coatings
- Fast-curing, direct-to-metal polyaspartic coatings

### DOSAGE

Borchi® Gen HE can be post added or incorporated during production. Trials have shown that an addition of 2 - 5 % on formulation is recommended.

### STORAGE

Protect from the effects of weathering and store at temperatures between 5 and 25 °C. Once opened, containers should be resealed immediately after each removal of the product.

### SAFETY

Details of product safety can be found in our material safety data sheet.

Contact us for more information

[www.borchers.com/contact](http://www.borchers.com/contact)

PLEASE NOTE: As each customer's use of our product may be different, information we provide, including without limitation, recommendations, test results, samples, care/labeling/processing instructions or marketing advice, is provided in good faith but without warranty and without accepting any responsibility/liability. Each customer must test and be responsible for its own specific use, further processing, labeling, marketing, etc. All sales are exclusively subject to our standard terms of sale posted at [www.milliken.com/terms](http://www.milliken.com/terms) (all additional/different terms are rejected) unless explicitly agreed otherwise in a signed writing.